

Faculdade de Ciências da Universidade de Lisboa
cmafcio@fc.ul.pt Tel. (+351) 21 750 00 27

SEMINÁRIO DE ANÁLISE E EQUAÇÕES DIFERENCIAIS

Dia 11 de Janeiro (quinta-feira), às 13H30, na sala 6.2.33

Quasilinear elliptic systems with measure data

Eugénio Rocha
(CIDMA, Universidade de Aveiro)

Abstract

We study the existence of solutions of quasilinear elliptic systems involving N equations and a measure on the right hand side, with the form

$$\begin{cases} -\sum_{i=1}^n \frac{\partial}{\partial x_i} \left(\sum_{\beta=1}^N \sum_{j=1}^n a_{i,j}^{\alpha,\beta}(x, u) \frac{\partial}{\partial x_j} u^\beta \right) = \mu^\alpha & \text{in } \Omega, \\ u = 0 & \text{on } \partial\Omega, \end{cases}$$

where $\alpha \in \{1, \dots, N\}$ is the equation index, Ω is an open bounded subset of \mathbb{R}^n , $u : \Omega \rightarrow \mathbb{R}^N$ and μ is a finite Radon measure on \mathbb{R}^n with values into \mathbb{R}^N . Existence of a solution is proved for different sets of assumptions on A . Examples are provided that satisfy our conditions, but do not satisfy conditions required on previous works on this matter. Some issues related with nonexistence and maximum principle may also be discussed. This is a joint work with F. Leonetti and V. Staicu.

Seminário financiado por Fundos Nacionais através da FCT – Fundação para a Ciência e a Tecnologia no âmbito do projeto UID/MAT/04561/2013